

INDUSTRIAL PAINT & LIQUID COATINGS

HIGH QUALITY FINISH FOR YOUR WINDOWS AND DOORS



INDUSTRIAL LIQUID COATINGS

FOR DOORS & WINDOW

Windows and doors bring character, style, and a unique essence to a home. They define the atmosphere and play a crucial role in how the structure harmonizes with its surroundings. So, why opt for a basic white when you can select any color that inspires you?

Protech Group Industrial Liquid Coatings are specifically formulated to enhance the appearance of fenestration products, offering PVC, aluminum and fiberglass windows and doors a contemporary, exceptional, and vibrant finish.

By choosing our liquid coatings for your windows and doors, you not only gain access to a distinctive painting system that ensures your products stand out, but you also receive professional support to comply with all manufacturing and quality standards.

Our team of experts is dedicated to assisting you in selecting the perfect coating solutions that align with your vision and technical requirements. We believe that every detail matters, and our goal is to help you create fenestration products that are not only functional but also aesthetically pleasing.

OUR TECHNOLOGY

WATER-BASED

- 2K Water-Based Technology
- 1K Water-Based Technology, Low VOC (<1 lb/gallon) 8423 series
- Fast Drying & Easy Touch-up
- Excellent Hardness, Mar Resistance
- Adhesion on Fiberglass, Vinyl, & Steel Doors
- NMP Free 8414 and 8423 Series
- AAMA 613 & 623 Compliant
- 10 Years Warranty

SOLVENT-BASED

- 2K Solvent-Based Technology
- High Solid (≥50% solid volume) Low VOC (≈2 lb/gallon) 9035 series
- Fast Drying & Easy Touch-up
- · Excellent Hardness, Mar Resistance
- · Adhesion on Fiberglass, Vinyl, & Steel Doors
- AAMA 614 and 624 compliant



THE RIGHT MIX!

OUR PRODUCTS

IR REFL. PAINTS

Solvent-Based

- 8032 (2k)
- 592 (2k)
- 9035 (2k)

Water-Based

- 8414 (2k)8423 (1k)
- 528 (2k)

PRIMERS

• 2619 (1k)

Epoxy

- 7023 (2k)
- 577 (2k)

Water-Based

Acrylic

• 3006 (1k)

Alkyd Phenolic Universal Solvent-Based Polyurethane

- 585 (2k)
- 583 (2k)

Solvent-Based Baking Enamel

METAL PAINTS

• 470 (1k)

Solvent-Based Alkyd Enamel

- 5300 (1k) Fast Dry
- 5210 (1k) Direct to Metal

SURFACE PREPARATION

Pre-Painted Steel Door (White)

Cleaner: 24-00

Adhesion promotor: 2848-10 (Blue) or sanding

(Maroon Scotch-Brite)

Waiting time: between 15 seconds to 2 hours

Polypropylene Frame

Cleaner: 07-00

Adhesion Promotor: 2646-10 (Red)

Waiting Time: Between 15 Seconds to 2 Hours

Fiber Glass

Cleaner: 07-00

Adhesion promotor: 2646-10, 2848-10, 2555-10

and/or sanding (maroon scotch-brite)

*Use of adhesion promotor and/or sanding must

be validated before use.

Pre-Painted Aluminum

Cleaner: 24-00

Vinvlwash

• 2444 (2k)

Wood Block

9070 (2k)

Stain

Sanding with Maroon Scotch-Brite

* Use of adhesion promotor (2848-10) must

be validated before use.

Mill Finish Aluminum

Cleaner: 24-00

Primer: 3006-30399-10 (grey water base)

Waiting time: 20 minutes

PVC

Cleaner: 07-00

APPLICATION

- 1. The surface should be washed.
- 2. For steel doors, apply adhesion promoter; and for vinyl doors, proceed to the next step.
- 1. Apply 1st coat of water-based or solvent-based paint.
- 2. Apply 2nd coat of paint.

FORMULATING THE RIGHT MIX!

The Protech Group

Liquid Division

MONTREAL HQ PRODUCTION & R&D SITE

11400 56e Avenue Montreal QC H1E 2L5

To Order:

Phone: (514) 648-4911 commandeliquide@theprotechgroup.com

QUÉBEC CITY DISTRIBUTION & TINTING SITE

2500 Rue Jean-Perrin Local 104 Québec City, QC, G2C 1X1

To Order:

Phone: (418) 842-6298 commandeliquide@theprotechgroup.com

MISSISSAUGA DISTRIBUTION & TINTING SITE

6815 Rexwood Rd Unit 4 & 5 Mississauga, ON, L4V 1S5

To Order:

Phone: (905) 673-9944 orderliquid@theprotechgroup.com

CORNWALL PRODUCTION SITE

3000 Marleau Ave Cornwall, ON, K6H 6B5

To Order:

Phone: (613) 938-0852 orderliquid@theprotechgroup.com



www.theprotechgroup.com info@theprotechgroup.com 1 (800) 361- 9364

